


IS型




軸径	形式	軸径 d	外径 D	幅 B
5	IS	5	18	7
	IS	5	18	7
7	IS	7	18	7
	IS	7	18	7
8	※ IS	8	18	7
	IS	8	22	6.5
10	IS	10	20	5
	IS	10	20	7
	IS	10	25	7
	IS	10	26	6
	IS	10	28	8
11	IS	11	22	7
	IS	11	25	7
12	IS	12	22	5
	IS	12	22	7
	IS	12	25	7
	※ IS	12	28	5
	IS	12	28	7
	IS	12	32	7
13	IS	13	25	4.5
	IS	13	25	7
	IS	13	28	7
14	IS	14	24	6
	IS	14	25	7
	IS	14	28	7
15	※ IS	15	24	7
	IS	15	25	5
	IS	15	25	7
	IS	15	28	6
	IS	15	30	7
	IS	15	32	9
	IS	15	35	8

軸径	形式	軸径 d	外径 D	幅 B
16	※ IS	16	26	7
	IS	16	28	7
17	※ IS	17	28	7
	IS	17	30	6
	IS	17	30	8
	IS	17	32	8
18	IS	18	27	5
	IS	18	30	8
	IS	18	35	8
19	IS	19	30	7
	IS	19	30	7
20	※ IS	20	30	5
	IS	20	30	7
	※ IS	20	32	7
	IS	20	32	8
	※ IS	20	35	8
	IS	20	40	7
	※ IS	20	40	10
21	IS	21	32	6
	IS	21	32	6
22	※ IS	22	30	5
	※ IS	22	32	5
	※ IS	22	32	7
	IS	22	38	8
23	IS	22	40	10
	※ IS	23	32	7
24	IS	24	40	8
	IS	24	40	8

軸径	形式	軸径 d	外径 D	幅 B
25	IS	25	35	7
	IS	25	38	7
	IS	25	38	8
	IS	25	40	8
	IS	25	45	8
	IS	25	45	10
	IS	25	45	11
	※ IS	25	52	10
26	IS	26	38	8
28	IS	28	38	7
	IS	28	40	8
	IS	28	45	8
	IS	28	46	10
	IS	28	48	11
30	IS	30	39	7
	IS	30	40	5
	IS	30	40	7
	IS	30	42	8
	IS	30	45	7
	IS	30	45	8
	IS	30	50	11
	IS	30	52	12
	32	IS	32	42
IS		32	45	8
IS		32	52	8
IS		32	52	11
33	IS	33	50	8
34	IS	34	45	8

軸径	形式	軸径 d	外径 D	幅 B	
35	IS	35	47	7	
	IS	35	48	8	
	IS	35	50	8	
	IS	35	55	11	
	IS	35	62	10	
	36	※ IS	36	50	10
38	IS	38	50	8	
	IS	38	55	8	
	※ IS	38	58	11	
	IS	38	62	11	
40	IS	40	52	8	
	IS	40	55	8	
	IS	40	58	8	
	IS	40	60	8	
	※ IS	40	62	11	
	※ IS	40	62	12	
	IS	40	65	12	
	IS	40	72	12	
42	IS	42	55	9	
	IS	42	60	9	
	IS	42	65	9	
	※ IS	42	65	12	
	45	※ IS	45	60	8
45	IS	45	60	9	
	IS	45	61	9	
	IS	45	62	10	
	IS	45	68	9	
	IS	45	68	12	
	48	IS	48	62	8
	※ IS	48	70	12	

IS型



軸径	形式	軸径 d	外径 D	幅 B
50	※ IS	50	65	8
	※ IS	50	65	9
	IS	50	68	9
	IS	50	70	10
	IS	50	72	9
	IS	50	72	12
52	IS	52	65	9
	IS	52	70	9
	IS	52	75	9
55	※ IS	55	68	8
	IS	55	70	9
	※ IS	55	70	10
	※ IS	55	72	9
	※ IS	55	78	12
	IS	55	80	12
56	IS	56	78	12
58	IS	58	72	9
	IS	58	75	9
60	※ IS	60	75	8
	※ IS	60	75	10
	IS	60	78	9
	IS	60	80	9.5
	IS	60	82	12
	IS	60	90	14
62	IS	62	85	12
65	IS	65	82	10
	IS	65	85	10
	IS	65	88	12
	IS	65	90	13
	IS	65	100	12

軸径	形式	軸径 d	外径 D	幅 B
70	※ IS	70	85	8
	※ IS	70	88	8
	IS	70	90	10
	IS	70	92	12
	IS	70	95	13
71	IS	71	95	13
75	IS	75	100	13
80	IS	80	105	13
85	IS	85	105	13
	IS	85	110	13
90	IS	90	110	13
	IS	90	115	13
	IS	90	130	13
95	IS	95	115	13
	IS	95	120	13
98	IS	98	120	15
100	※ IS	100	120	12
	※ IS	100	120	14
	IS	100	125	13
105	IS	105	125	15
	IS	105	130	13
	IS	105	135	14
110	IS	110	140	14
112	IS	112	140	14

軸径	形式	軸径 d	外径 D	幅 B
120	※ IS	120	140	13
	IS	120	150	14
125	IS	125	155	14
130	IS	130	150	14
	IS	130	160	14
140	IS	140	170	14
155	※ IS	155	180	14
	IS	155	188	12
160	IS	160	190	12.5
	IS	160	190	14
165	IS	165	195	12.5
	※ IS	165	195	15
168	IS	168	195	13
170	※ IS	170	200	15
175	※ IS	175	200	15
180	IS	180	215	16
	IS	180	220	15
190	IS	190	220	14
	IS	190	220	15
	※ IS	190	225	15
200	IS	200	230	15
210	IS	210	250	20

軸径	形式	軸径 d	外径 D	幅 B
217	IS	217	273	26
220	※ IS	220	250	15
240	IS	240	270	15
250	※ IS	250	270	10
	IS	250	280	15
260	IS	260	300	20
265	IS	265	290	16
270	IS	270	300	15
	IS	270	310	20
280	IS	280	320	20
290	IS	290	330	20
300	IS	300	340	20
	※ IS	300	350	25
330	※ IS	330	390	25
350	※ IS	350	380	15
420	IS	420	460	20